

LISTING OF CLAIMS

Please cancel claims 1-2, 4-20, 22-36 and 38-44 and amend the remaining claims as follows.

1. (Canceled)

2. (Canceled)

3. (Currently amended) [The method of claim 1] A method of loading data into a database system, comprising:
receiving an insert request to insert data into a table in a database system, where the insert request includes one or more links, and each link indicates a server connection and a storage location for data corresponding to the link;
creating a table entry in the database system;
opening the corresponding server connection for each received link;
requesting the data corresponding to each received link through the corresponding opened server connection;
receiving the requested data for each received link through the corresponding server connection; and
storing the received data in the table entry, where at least two insert requests are processed in parallel.

4. (Canceled)

5. (Canceled)

6. (Canceled)

7. (Canceled)

8. (Canceled)

9. (Canceled)

10. (Canceled)

11. (Canceled)

12. (Canceled)

BEST AVAILABLE COPY

- 13. (Canceled)
- 14. (Canceled)
- 15. (Canceled)
- 16. (Canceled)
- 17. (Canceled)
- 18. (Canceled)
- 19. (Canceled)
- 20. (Canceled)

21. (Currently amended) [The computer program of claim 19] A computer program, stored on a tangible storage medium, for use in loading data into a database system, the program comprising executable instructions that cause a computer to:

receive an insert request to insert data into a table in a database system, where the insert request includes one or more links, and each link indicates a server connection and a storage location for data corresponding to the link;

create a table entry in the database system;

open the corresponding server connection for each received link;

request the data corresponding to each received link through the corresponding opened server connection;

receive the requested data for each received link through the corresponding server connection; and

store the received data in the table entry, where at least two insert requests are processed in parallel.

- 22. (Canceled)
- 23. (Canceled)
- 24. (Canceled)
- 25. (Canceled)
- 26. (Canceled)
- 27. (Canceled)
- 28. (Canceled)

BEST AVAILABLE COPY

- 29. (Canceled)
 - 30. (Canceled)
 - 31. (Canceled)
 - 32. (Canceled)
 - 33. (Canceled)
 - 34. (Canceled)
 - 35. (Canceled)
 - 36. (Canceled)
-

37. (Currently amended) [The database system of claim 35] A database system comprising:
one or more data storage facilities for use in storing data composing records in tables of a database;
one or more processing modules configured to manage the data stored in the data-storage facilities; and
a database management component configured to load data into the data storage facilities after receiving one or more links in a request from a client system, where each link indicates a server connection and a storage location for the data to be loaded, and where at least one processing module includes executable instructions providing a database worker task configured to:
create a table entry in a data storage facility corresponding to the processing module including the database worker task;
open the corresponding server connection for each received link;
request the data corresponding to each received link through the corresponding opened server connection;
receive the requested data for each received link through the corresponding server connection; and
store the received data in the table entry, where the database management component is further configured to process at least two client requests including link strings in parallel.

- 38. (Canceled)

BEST AVAILABLE COPY

39. (Canceled)

40. (Canceled)

41. (Canceled)

42. (Canceled)

43. (Canceled)

44. (Canceled)

BEST AVAILABLE COPY